



PRECISION LEVELS

SERIES 258:



Includes fitted wooden case.

The main level is graduated to 10 second accuracy (1 division equals .0005" per 10").

Body of level is made of cast iron and base is hand scraped for extreme accuracy. Base is "V" shaped for checking round work. Plastic grips on frame insulate instrument from heat of hand.

Model No.	Length	Ordering No.	Price
PL8	8"	1740008	
PL12	12	1740012	



LEVELS
SERIES 789:



SMALL BENCH LEVEL

STARRETT SERIES 130:



3-3/8"/85mm long with sensitive and accurate single vial. Sturdy body made of seasoned cast iron with black wrinkle finish and nickel plated ends. Accurately machined base leveling surface.

Size	Catalog No.	EDP No.	Price
3-3/8"/85mm	130	50560	

MECHANICS' IMPROVED LEVELS

STARRETT SERIES 98:



Levels have ground and graduated main vials. All levels have cross test vial, except 4" size. 12" size has in addition a plumb vial, and 18" size a double plumb vial. Plumb vials on 12" and 18" levels are ground. Main vials are adjustable for positive setting and housed in a satin-chromed brass tube with friction fit closing cover to prevent breakage. Level base are of the finest seasoned castings with black wrinkle finish, accurately machined and finished on bearing surface. An involute longitudinal groove between bearing flats provides accurate seating on round work.

SPECIFICATIONS

Size	Catalog No.	EDP No.	Price
4"	98-4	50440	
6	98-6	50441	
8	98-8	50442	
12	98-12	50443	
12	982-12*	50444	
18	98-18	50445	
18	982-18*	50446	

* Supplied in fitted case.

CROSS TEST LEVEL AND PLUMB

STARRETT SERIES 134:



For approximate squaring, leveling, machine set up. Has two vials at right angles for cross test leveling without moving tool and a plumb level at the top for checking squareness. Reliable and compact, weighs 3 ounces.

Size	Catalog No.	EDP No.	Price
2" x 3" x 1/2"/ 50 x 75mm	134	50569	

MASTER PRECISION LEVEL

STARRETT SERIES 199:



For critical machinery set-ups of all types. Ground and graduated main vial of 10-second accuracy – one division equals .0005" per foot. Auxiliary level vial shows lateral position as guide to horizontal setting. Insulated from handling by non-conductive top plate. Level vials positioned to reduce breakage. Made of seasoned cast iron. Base carefully machined and scraped. Black wrinkled finish on non-working surfaces. Furnished in wood case.

Length Base	Width Base	Height Level	Catalog No.	EDP No.	Price
15"/380mm	1-5/8"/40mm	3"/75mm	199Z	50719	

CROSS TEST LEVEL

STARRETT SERIES 136:



Has two vials at right angles for leveling in both directions without moving level from work. Compact, measuring 2-3/4" x 2-3/4" and weighs only 4 ounces. Attractive black wrinkle finish and a ground reference surface.

Catalog No.	EDP No.	Size	Description	Price
136	50572	2-3/4" x 2-3/4"	With cross test vials	

BENCH LEVELS

STARRETT SERIES 132:



All have main vial and double plumb vial with two graduated lines. Made of seasoned cast iron with black wrinkle finish, accurately machined on leveling surfaces. Bottom of base has involute groove for accurately seating level on cylindrical work. Flat lands and groove in the bottom of the base are machined at one setting, thereby assuring complete accuracy.

Size	Catalog No.	EDP No.	Price
6"150mm	132-6	50562	
9"-225mm	132-9	50563	
12"-300mm	132-12	50564	
24"-600mm	132-24	50566	

POCKET LEVELS

STARRETT SERIES 135:



Handy level, satin nickel plated finish. Available in 2-1/2" and 3-1/2" sizes made from hexagonal stock 3/8" and 1/2" wide respectively. Made with convex ends.

Description	Size	Catalog No.	EDP No.	Price
With main vial	2-1/2"	135A	50570	
With main vial	3-1/2"	135B	50571	



LEVELS
SERIES 43:



MASTER PRO™
MAHOGANY/ALUMINUM LEVELS
MP SERIES



These levels are top of the line for Starrett-Exact products. Often prized by craftsmen, they are not only accurate and sturdy, but attractive and easy to handle.

Limited Quantities

- Mahogany construction, reinforced with an aluminum I-beam frame and working edge.
- Tough, yellow Pyrex vials with large bubbles and ceramic fired lines for fast, dependable reading.
- Clear glass windows protect vials from dirt and damage.
- Shock-absorbing end caps protect working edges and preserve accuracy.
- Holes for convenient hanging.

Size In.	Size Metric	Description	Catalog No.	Order No.	Price
24"	60 cm	6 Vials (4 Plumb, 2 Level)	MP-24	36004	
48"	120 cm		MP-48	36008	
72"	180 cm	8 Vials (4 Plumb, 4 Level), and Door Jamb Roller	MP-72	36009	
78"	198 cm		MP-78	36010	

BRASS BOUND MAHOGANY
BB SERIES



These fine levels are crafted from fine mahogany and brass. A fine addition to the shop of a discriminating craftsman.

- Levels are made of finest mahogany and are permanently reinforced with double angle brass bindings.
- Tough, yellow Pyrex vials with large bubbles and ceramic fired lines for fast, dependable reading.
- Clear glass windows protect vials from dirt and damage.
- Brass edges provide added stability and wear for increased accuracy.
- Shock-absorbing end caps protect working edges and preserve accuracy.

Size In.	Size Metric	Description	Catalog No.	Order No.	Price
24"	60 cm	6 Vials (4 Plumb, 2 Level)	BB-24	36014	
48"	120 cm	Open Grips	BB-48	36016	

ALUMINUM LINE/POCKET LEVELS
PE SERIES



Lightweight, durable aluminum construction prevents line sag. Sure-grip line hooks hold line and allows level to slide freely. Flat base for accurate surface leveling. Large vial sight. Permanently marked for fast, dependable readings.

Length	Description	Catalog No.	EDP No.	Price
3"	1 level vial with line hooks	E-3	36077	

DIE-CAST ALUMINUM LEVEL
EP-24



- Extremely stable, die-cast construction.
- Working edges ground for accuracy, one edge ruled (1/8" and millimeters)
- Yellow vials with large bubbles and ceramic fired lines for fast dependable reading.
- Clear glass windows protect vials from dirt and damage.

Size In.	Size Metric	Description	Catalog No.	Order No.	Price
24"	60 cm	6 Vials (4 Plumb, 2 Level) Ruled Edge	EP-24	36022	

MASTER PRO HEAVY-DUTY DIE-CAST ALUMINUM MECHANICS' LEVELS
ML Series



- Six function mechanics' level will level, plumb, check 45°, check pitch set pitch, and measure length.
- Extremely stable, die-cast construction.
- Graduated top-sight level vial indicates pitch (1/8" per foot)
- Working edges ground for accuracy.
- Clear glass windows protect vials from dirt and damage.
- Permanently marked rule affixed to top reads left to right (1/16") on one side and centering rule (1/8") on other.
- Locking pitch/grade-screw adjustment.
- Tough, yellow Pyrex vials with large bubbles and ceramic fired lines for fast dependable reading.

Size In.	Size Metric	Description	Catalog No.	Order No.	Price
18"	45 cm	4 Vials (2 Plumb, 1 Level, and 45°)	ML-18	36031	
24"	60 cm	Grade Screw Adjustment	ML-24	36032	

PROFESSIONAL STA-TRUE™
ALUMINUM LEVELS
STE Series / MST Series with Magnetic Edge



- One-piece extruded aluminum frame.
- I-beam cross-section with flanged edges for increased strength
- Permanently mounted acrylic vials require no adjustment.
- Rectangular vial sights with 360° viewing
- Large magnetic strip mounted flush to the working edge on one side of the MST Series models for increased holding power. Frees hands when leveling on ferrous surfaces.

Size In.	Size Metric	Description	Catalog No.	Order No.	Price
STE Series					
24"	60 cm	3 Vials (1 Plumb, 1 Level, and 45°)	STE-24	36053	
36"	90cm	3 Vials (2 Plumb, 1 Level)	STE-36	36055	
48"	120cm		STE-48	36056	
72"	180cm	5 Vials (3 Plumb, 2 Level)	STE-72	36057	
96"	240cm		*STE-96	36059	
MST Series					
24"	60cm	3 Vials (2 Plumb, 1 Level),	MST-24	36062	
48"	120cm	One Magnetic Edge	MST-48	36064	
72"	180cm	4 Vials (2 Plumb, 2 Level)	MST-72	36065	

* Made by special order

INDUSTRIAL SUPPLIES



LEVELS
SERIES 43:



ALUMINUM TORPEDO LEVELS WITH GROOVED OR MAGNETIC BASE

A-9 / M-9



These levels have a cast aluminum frame with working surfaces that are ground for accuracy. The A-9 has a V-grooved base for plumbing and tubular work. The M-9 has a strong magnet set in the base to hold the level securely to iron and steel surfaces.

Base	Description	Catalog No.	Order No.	Price
V-Grooved	3 Vials (1 Plumb, 1 Level, and 45°)	A-9	36069	
Magnetic	Side and Top Reading	M-9	36070	

ALUMINUM TORPEDO LEVEL WITH MAGNETIC BASE AND GROOVED TOP SURFACE™

AM-9




This level has a cast aluminum frame with working surfaces that are lapped for accuracy. A strong magnetic base holds the level securely to iron and steel surfaces. The V-grooved top working surface is ideal for plumbing and tubular work.

Description	Catalog No.	Order No.	Price
3 Vials (1 Plumb, 1 Level, 1 45°) Side and Top Reading	AM-9	36071	

COLORED TORPEDO LEVEL W/MAGNETIC BASE AND GROOVED TOP EDGE

PLM Series



Levels feature a precision molded, high impact styrene frame and are available in three colors. Levels with magnetic base hold securely to ferrous surfaces and a V-grooved top edge for plumbing and tubular work.


Color	Description	Catalog No.	Order No.	Price
Black	3 Vials	PLM-9*	36074	
Orange	(1 Plumb, 1 Level, 1 45°)	PLMO-9	64409	
Green	Side and Top Reading	PLMG-9*	64410	

*Limited Quantity

COLORED LINE/POCKET LEVELS WITH V-GROOVED BASE

PE Series

Lightweight, rugged plastic construction prevents line sag. Sure-grip line hooks hold line and allows level to slide freely. V-grooved base for surface leveling and tubular work. Large top and bottom vial sights. Permanently marked level vial for fast, dependable readings. Handy pocket clip. Available in three colors.



Color	Description	Catalog No.	Order No.	Price
Red	1 Vial Level	PE-2	36076	
Green	and pocket clip	PEG-2	36266	

HEAVY-DUTY ALUMINUM TOP READING LEVELS - BC-TA SERIES

BC-MTA SERIES With Magnetic Edge
With Unbreakable, Adjustable Block Vial System



- Heavy duty aluminum I-beam frame checked and adjusted for level and plumb on the job.
- Large top-reading level vial is magnified, florescent and open on three sides for easy viewing.
- Spring loaded level vial is easily checked and adjusted for level and plumb on the job.
- Magnetic edge version frees hands when leveling ferrous metal surfaces

Size		Description	Catalog No.	Order No.	Price
In.	Metric				
BC-TA Series					
24"	60 cm	3 Vials, Adjustable Vials	BC-TA-24	0036377	
48"	120 cm	(2 Plumb, 1 Top-Reading Level)	BC-TA-48	0036378	
BC-MTA Series With Magnetic Edge					
24"	60 cm	3 Vials, Adjustable Vials	BC-MTA-24	0036379	
48"	120 cm	(2 Plumb, 1 Top-Reading Level)	BC-MTA-48	0036380	

ECONOMY ALUMINUM LEVELS



- Medium-duty aluminum I-beam cross section with flanged edges for increased strength. Large octagonal vial sights for maximum visibility
- Permanently mounted 360° vials require no adjustment

Size	Description	Catalog No.	EDP No.	Price
18"	2 vials (1 plumb, 1 level)	ST2-18	36042	
24"	2 vials (1 plumb, 1 level)	ST2-24	36043	
24"	3 vials (2 plumb, 1 level)	ST3-24	36044	
48"	3 vials (2 plumb, 1 level)	ST3-48	36048	

ANGLE METER - AM-2

This angle meter from Starrett offers a fast, easy and inexpensive way to measure angles.

FEATURES:

- Large, readable scale for accurate readings from 0-90° in any quadrant.
- Magnetic base frees hands when used on ferrous surfaces.
- Measures any angle for pitch or slope.
- Handy rise, run, angle, and pitch information on back of tool



Catalog No. AM-2

Order No. 36080	Price:	
-----------------	--------	--

BULL'S-EYE CIRCULAR LEVEL - BE-1

- Level with all purpose, 360° vial reads in all directions.
- Sturdy plastic construction.
- Large sight for ease of reading.
- Ideal for home, workshop and industry.
- Level appliances, turntables, etc.
- 1-3/4" diameter, carry in your pocket.



Catalog No. BE-1

Order No. 36078	Price:	
-----------------	--------	--